

## CLAIMS

### What is claimed is:

1. An intuitive computer data management system that helps a user to manage computer readable data, comprising:

5           a UI (User Interface), which provides the user at least one prompt for the user to follow the prompt to send an accessing request for the computer readable data in one action;

          a categorizing module, which automatically determines the type of the computer readable data according to the accessing request; and

10           an accessing module, which accesses the computer readable data according to the type of the computer readable data.

2. The system of claim 1, wherein

          the accessing request is a save request to store the computer readable data; and

15           the accessing module stores the computer readable data to a corresponding data set according to the type of the computer readable data.

3. The system of claim 1, wherein

          the accessing request is a single-type list request to read in the computer readable data of the desired type; and

20           the accessing module reads in the computer readable data of the desired type from the corresponding data set according to the computer readable data type and displays the single-type list on the UI for the user.

4. The system of claim 1, wherein

the accessing request is an all-type list request to read in a plurality of computer readable data; and

the accessing module reads in the computer readable data of all types from the corresponding data sets according to the computer readable data types and displays the all-type list on the UI for the user.

5

5. The system of claim 1, wherein the one action refers to the action of hitting one key on a keyboard.

6. The system of claim 1 further comprising a storage device for storing computer readable data.

10

7. An intuitive computer management method that helps a user to manage computer readable data, comprising:

providing the user at least one prompt so that the user can follow the prompt to send an accessing request for the computer readable data in one action;

15

determining the type of the computer readable data automatically according to the accessing request; and

accessing the computer readable data according to the type of the computer readable data.

8. The method of claim 7, wherein

the accessing request is a save request to store the computer readable data; and

20

the accessing step stores the computer readable data to a corresponding data set according to the type of the computer readable data.

9. The method of claim 7, wherein

the accessing request is a single-type list request to read in the computer readable data of the desired type; and

the accessing step reads in the computer readable data of the desired type from the corresponding data set according to the computer readable data type.

5 10. The method of claim 7, wherein

the accessing request is an all-type list request to read in a plurality of computer readable data; and

the accessing step reads in the computer readable data of all types from the corresponding data sets according to the computer readable data types.

10 11. The method of claim 7, wherein the one action refers to the action of hitting one key on a keyboard.

12. A storage medium storing program codes used to direct an electronic device to perform the following acts:

15 providing a user at least one prompt so that the user can follow the prompt to send an accessing request for at least one computer readable data in one action;

determining the type of the computer readable data automatically according to the accessing request; and

accessing the computer readable data according to the type of the computer readable data.

20 13. The storage medium of claim 12, wherein

the accessing request is a save request to store the computer readable data; and

the accessing act stores the computer readable data to a corresponding data set

according to the type of the computer readable data.

14. The method of claim 12, wherein

the accessing request is a single-type list request to read in the computer readable data of the desired type; and

5 the accessing act reads in the computer readable data of the desired type from the corresponding data set according to the computer readable data type.

15. The method of claim 12, wherein

the accessing request is an all-type list request to read in a plurality of computer readable data; and

10 the accessing act reads in the computer readable data of all types from the corresponding data sets according to the computer readable data types.

15

09974883 101201  
102101 1884660